



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : James W. Baumgartner et al.

Serial No. : 09/090,867

Filed : June 4, 1998

For : TESTIS-SPECIFIC RECEPTOR

Examiner : Lazar-Wesley, E.

Art Unit : 1646

Docket No.: 95-33D1

Date : July 21, 1999

Assistant Commissioner for Patents Washington, D.C. 20231

## Declaration Under 37 C.F.R. § 1.131

Sir:

We, James W. Baumgartner, Theresa M. Farrah, Donald C. Foster, Frank J. Grant, and Patrick J. O'Hara, do hereby declare as follows:

- 1. We are the inventors of the above-identified patent application.
- 2. All of the work described herein was performed in the United States of America by us or under our direction.
- 3. We have reviewed laboratory notes and other records, including the exhibits submitted herewith, and have determined that the invention recited in claims 1-32 of the above-identified patent application was reduced to practice before March 1, 1996 or was conceived before March 1, 1996 and was subsequently constructively reduced to practice with the filing of the patent application on March 13, 1996.
- 4. Attached hereto as Exhibit 1 is a copy of a computer printout of the DNA and deduced amino acid sequence of a clone designated "zcytor2." This printout is dated

prior to March 1, 1996. The sequences shown in Exhibit 1 correspond to those disclosed in the patent application in SEQ ID NO:1 and SEQ ID NO:2.

- 5. Attached hereto as Exhibit 2 is a copy of a portion of a memo written by one of us (Frank J. Grant) before March 1, 1996, which describes particular goals for the WSXWS receptor project, which project included the zcytor2 receptor. As stated in the memo, these goals included preparation of soluble forms (i.e., extracellular ligand-binding domains) of receptors. The memo also describes our intent to clone and express full-length, receptor-encoding cDNAs.
- 6. Attached hereto as Exhibit 3 is a copy of a page from the notebook of Cameron Brandt, a research associate working under our direction. This page, written before March 1, 1996, describes a plan to prepare polypeptide fusions comprising a soluble receptor and an immunoglubulin Fc polypeptide.
- 7. Attached hereto as Exhibit 4 is a copy of a slide prepared by one of us (Donald C. Foster) for an inhouse seminar on the WSXWS receptor project. This slide was prepared before March 1, 1996. This slide illustrates a plan to express new receptor-encoding DNAs in cultured cells, whereby the cells would produce the encoded receptor.
- 8. On the basis of these Exhibits we conclude that the invention recited in claims 1-32 of the patent application was reduced to practice before March 1, 1996 or was conceived before March 1, 1996 and was subsequently constructively reduced to practice with the filing of the patent application on March 13, 1996.

We further declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further, that these statements were made with the knowledge that the making of willfully false statements and the like is punishable by fine or imprisonment, or both, under

Section 1001 of Title 18 of the United States Code, and may jeopardize the validity of any patent issuing from this patent application.

James W. Baumgartner	Date
Theresom. Fand	19 august 1999
Theresa M. Farrah	Date
Donald C. Foster	Date
Frank J. Grant	Date
Patrick J. O'Hara	 Date

```
HZCYTORO2.SEQ -
Sequence of pcr products generated with 9800-9802.
nested pcr product 9941-AP2 (9801-AP1)
nested pcr product 9937-AP2 (9803-AP1)
Enzyme Recognition
                   Cut Site
      (A^CCGGT)
                    Def: 1124
Agel
BamHI (G^GATCC)
                    Def: 172
      (TTT^AAA)
                    Def:
Drai
                          36
EcoRI
      (G^AATTC)
                    Def:
                         450
ECORV (GAT^ATC)
                    Def: 438
Hpa I
      (GTT^AAC)
                    Def: 145
MscI
      (TGG^CCA)
                    Def: 1244
Muni
      (C^AATTG)
                    Def: 493
      (C^CATGG)
Ncol
                    Def: 377
      (ATGCA^T)
Nsil
                    Def: 592
Ppu10I (A^TGCAT)
                    Def:
                         588
      (CCC^GGG)
                    Def:
Smai
                          11
      (AAT^ATT)
                    Def: 503 988 1107
      (C^CCGGG)
Xma I
                    Def:
HZCYTORO2.SEQ Linear
                            LENGTH = 1289
           Xmal
             Sma I
                                   Drai
  1 CCCCCCGCCGGGAGAGAGGCAATATCAAGGTTTTAAATCTCGGAGAAATGGCTTTCGTTTGCTTGGCT
    GGGGGGCCGCCCCCCCCTTATAGTTCCAAAATTTAGAGCCTCTTTACCGAAAGCAAACGAACCGA
                                               MAFVCLÁ
                                   36
 70 ATCGGATGCTTATATACCTTTCTGATAAGCACAACATTTGGCTGTACTTCATCTTCAGACACCGAGATA 138
    TAGCCTACGAATATATGGAAAGACTATTCGTGTTGTAAACCGACATGAAGTAGAAGTCTGTGGCTCTAT
    IGCLYTFLISTTFGCTSSSDTEI
                                  BamHI
139 AAAGTTAACCCTCCTCAGGATTTTGAGATAGTGGATCCCGGATACTTAGGTTATCTCTATTTGCAATGG 207
    TTTCAATTGGGAGGAGTCCTAAAACTCTATCACCTAGGGCCTATGAATCCAATAGAGATAAACGTTACC
    K V N P P Q D F E I V D P G Y L G Y L Y L Q W
208 CAACCCCCACTGTCTCTGGATCATTTTAAGGAATGCACAGTGGAATATGAACTAAAATACCGAAACATT 276
    GTTGGGGGTGACAGAGACCTAGTAAAATTCCTTACGTGTCACCTTATACTTGATTTTATGGCTTTGTAA
    Q P P L S L D H F K E C T V E Y E L K Y R N I
277 GGTAGTGAAACATGGAAGACCATCATTACTAAGAATCTACATTACAAAGATGGGTTTGATCTTAACAAG 345
    CCATCACTTTGTACCTTCTGGTAGTAATGATTCTTAGATGTAATGTTTCTACCCAAACTAGAATTGTTC
    GSETWKTIITKNLHYKDGFDLNK
                                Ncol
346 GGCATTGAAGCGAAGATACACACGCTTTTACCATGGCAATGCACAAATGGATCAGAAGTTCAAAGTTCC 414
    CCGTAACTTCGCTTCTATGTGTGCGAAAATGGTACCGTTACGTGTTTACCTAGTCTTCAAGTTTCAAGG
    G I E A K-I H T L L P W Q C T N G S E V Q S S
                               377
                        EcoRV
                                   EcoRI
415 TGGGCAGAAACTACTTATTGGATATCACCACAAGGAATTCCAGAAACTAAAGTTCAGGATATGGATTGC 483
    ACCCGTCTTGATGAATAACCTATAGTGGTGTTCCTTAAGGTCTTTGATTTCAAGTCCTATACCTAACG
    WAETTYWISPQGIPETKVQDMDC
                        438
                                   450
            Muni
                     Sspi
484 GTATATTACÁATTGGCAATÁTTTACTCTGTTCTTGGAAACCTGGCATAGGTGTACTTCTTGATACCAAT 552
    CATATAATGTTAACCGTTATAAATGAGACAAGAACCTTTGGACCGTATCCACATGAAGAACTATGGTTA
    V Y Y N W Q Y L L C S W K P G I G V L L D T N
```

493

503

CU101 Nsil 553 TACAACTTGTTTTACTGGTATGAGGGCTTGGATCATGCATTACAGTGTGTTGATTACATCAAGGCTGAT 621 ATGTTGAACAAAATGACCATACTCCCGAACCTAGTACGTAATGTCACACAACTAATGTAGTTCCGACTA YNLFYWYEGLDHALQCVDYIKAD 592 588 622 GGACAAAATATAGGATGCAGATTTCCCTATTTGGAGGCATCAGACTATAAAGATTTCTATATTTGTGTT 690 CCTGTTTTATATCCTACGTCTAAAGGGATAAACCTCCGTAGTCTGATATTTCTAAAGATATAAACACAA GQNIGCRFPYLEASDYKDFYICV 691 AATGGATCATCAGAGAACAAGCCTATCAGATCCAGTTATTTCACTTTTCAGCTTCAAAATATAGTTAAA 759 TTACCTAGTAGTCTCTTGTTCGGATAGTCTAGGTCAATAAAGTGAAAAGTCGAAGTTTTATATCAATTT NGSSENKPIRSSYFTFQLQNIVK 760 CCTTTGCCGCCAGTCTATCTTACTTTTACTCGGGAGAGTTCATGTGAAATTAAGCTGAAATGGAGCATA GGAAACGGCGGTCAGATAGAATGAAAATGAGCCCTCTCAAGTACACTTTAATTCGACTTTACCTCGTAT PLPPVYLTFTRESSCEIKLKWSI 829 CCTTTGGGACCTATTCCAGCAAGGTGTTTTGATTATGAAATTGAGATCAGAGAAGATGATACCACCTTG 897 GGAAACCCTGGATAAGGTCGTTCCACAAAACTAATACTTTAACTCTAGTCTCTTCTACTATGATGGAAC P L G P I P A R C F D Y E I E I R E D D T T L 898 GTGACTGCTACAGTTGAAAATGAAACATACACCTTGAAAACAACAACTGAAACCCGACAATTATGCTTT 966  ${\tt CACTGACGATGTCAACTTTTACTTTGTATGTGGAACTTTTGTTGTTTACTTTGGGCTGTTAATACGAAA}$ V T A T V E N E T Y T L K T T N E T R Q L C F SspI V V R S K V N I Y C S D D G I W S E W S D K Q 988 1036 TGCTGGGAAGGTGAAGACCTATCGAAGAAACTTTGCTACGTTTCTGGCTACCATTTGGTTTCATCTTA 1104 ACGACCCTTCCACTTCTGGATAGCTTCTTTTGAAACGATGCAAAGACCGATGGTAAACCAAAGTAGAAT CWEGEDLSKKTLLRFWLPFGFIL SspI Agel 1105 ATÁTTAGTTATATTTGTAACCGGTCTGCTTTTGCGTAAGCCAAACACCTACCCAAAAATGATTCCAGAA 1173 TATAATCAATATAAACATTGGCCAGACGAAAACGCATJCGGTTTGTGGATGGGTTTTTACTAAGGTCTT ILVIFVTGLLLRKPNTYPKMIPE 1107 1124 1174 TTTTTCTGTGATACATGAAGACTTTCCATATCAAGAGACATGGTATTGACTCAACAGTTTCCAGTCATG 1242 AAAAAGACACTATGTACTTCTGAAAGGTATAGTTCTCTGTACCATAACTGAGTTGTCAAAGGTCAGTAC


1243 GCCAAATGTTCAATATGAGTCTCAATAAACTGAATTTTTCTTGCGAA 1289 CGGTTTACAAGTTATACTCAGAGTTATTTGACTTAAAAAGAACGCTT

1244

MscI

FFCDT.

## DRAFT



Outline of things to consider for patent application of novel type I cytokine receptors

We have identified partial cDNA sequences for three new members of the type I cytokine receptor family. These receptors are characterized by a conserved cysteine pattern and an amino acid motif containing WSXWS. Members of this family include the receptors for TPO, EPO, Growth Hormone, Prolactin, IL-4, IL-7, IL-9, IL-2, IL-5, IL-3, GM-CSF, IL-6, CNTF, G-CSF and Leukemia inhibitory factor.

The main utility for these sequences would be to facilitate the cloning of the unknown ligands for the receptors. The receptors themselves (ie. soluble forms) might be potential therapeutics as well.

There are at least three ways the receptor sequence can be utilized to clone the ligands:

- a). Make receptor dependent cell lines (as was done in the project) for use in an expression cloning project.
- b). Soluble forms of the receptor can be labeled and used as probes in an expression cloning system.
- c). The receptor could be attached to various columns or other supports and used to purify the ligand.


Patentable entities: (???????)

- a). The EST (expressed sequence tag) that allowed us to identify the partial ce as novel member of the family.

  i). Allows us to clone the full length of the full length of the full length. sequence as novel member of the family.

  - b). The full length receptor encoding cDNA.
- (c) Homologues of the cDNAs. It may be that murine versions of these receptors are necessary for ligand dependent cell line cloning.
  - d). The ligands for the receptors.
  - e). AIDS therapies. Disci is we Frank

WHAT WE GOT:



PURPOSE: WILL BUILD A VECTOR FOR EZPRISSION OF SOURCE


PLECIPIOIZS RUSSED TO ISC J. HOWLY CHAIN. THIS

EXPRESSION SISTEM ALLOWS AN EACH NAM TO PURPOSE

SOUBLE RECISION OF A PROTECT A COMMINA

THOM PROVIDES A HANDLE POR VSINC IN COINS

AFRIEL LICAMO.



- IJG PORNOU OF RESOL INCLUDES HIST REGIONS CH2 ! CH3
- RUSSION IS CHERENCED AS A MONOMOR BUT DIMERIZES

VIA IT'S TWO CHERENE'S IN THE HINDE REGION

السكم ع،

5':

ARA SER.

GLU-PRO-LIS-SER-CIS-ACP-LIS-THE-HS-THE...

CONSTRUCTION OF BOILT SINE (FLUSION ET AL.

CIS CHANDED TO SEZ JUM 15, 172.

TO ELIMINARE UNBOUND

CIS IN HART PIEDD.

THE CIS NORMAN BIND

LIGHT CHAND, BUT LIGHT!

CHAND IT NOT NECESSARY

FOR CREARON OF A

FUNCTIONAL PUSION

(BONNETT, ET A. J. OF BIOL.

CHOMISKEN 266 (34) 23060-23067

DET 5, 1991)

3': WILL BE DOWNER TO NAM JE




EXHIBIT 4